

CORE BITS ASPHALT, COATING

AS The core bit for asphalt



DESCRIPTION AND BENEFITS

- Usable tube length: 450 mm
- High drilling capacity
- Resegmentation possible (ref. ending with R)

MATERIALS






Asphalt, Render, Coating












Smooth pointed diamond segments,
height 10 mm






Laser welded segments

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
AS042N1/2	42	1/2"	4	16 x 3,5 x 10		Wet
AS042N1/4	42	1"1/4	4	16 x 3,5 x 10		Wet
AS042R	42	1"1/4 ou 1/2"	4	16 x 3,5 x 10		Wet
AS046N1/2	46	1/2"	4	16 x 3,5 x 10		Wet
AS046N1/4	46	1"1/4	4	16 x 3,5 x 10		Wet
AS046R	46	1"1/4 ou 1/2"	4	16 x 3,5 x 10		Wet
AS052N1/2	52	1/2"	5	24 x 3,5 x 10		Wet
AS052N1/4	52	1"1/4	5	24 x 3,5 x 10		Wet
AS052R	52	1"1/4 ou 1/2"	5	24 x 3,5 x 10		Wet

CORE BITS ASPHALT, COATING

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
AS056N1/2	56	1/2"	5	24 x 3,5 x 10		Wet
AS056N1/4	56	1"1/4	5	24 x 3,5 x 10		Wet
AS056R	56	1"1/4 ou 1/2"	5	24 x 3,5 x 10		Wet
AS062N1/2	62	1/2"	6	24 x 3,5 x 10		Wet
AS062N1/4	62	1"1/4	6	24 x 3,5 x 10		Wet
AS062R	62	1"1/4 ou 1/2"	6	24 x 3,5 x 10		Wet
AS066N1/2	66	1/2"	6	24 x 3,5 x 10		Wet
AS066N1/4	66	1"1/4	6	24 x 3,5 x 10		Wet
AS066R	66	1"1/4 ou 1/2"	6	24 x 3,5 x 10		Wet
AS072N1/2	72	1/2"	6	24 x 3,5 x 10		Wet
AS072N1/4	72	1"1/4	6	24 x 3,5 x 10		Wet
AS072R	72	1"1/4 ou 1/2"	6	24 x 3,5 x 10		Wet
AS076N1/2	76	1/2"	6	24 x 3,5 x 10		Wet
AS076N1/4	76	1"1/4	6	24 x 3,5 x 10		Wet
AS076R	76	1"1/4 ou 1/2"	6	24 x 3,5 x 10		Wet
AS082N1/2	82	1/2"	7	24 x 3,5 x 10		Wet
AS082N1/4	82	1"1/4	7	24 x 3,5 x 10		Wet
AS082R	82	1"1/4 ou 1/2"	7	24 x 3,5 x 10		Wet
AS087N1/2	87	1/2"	8	24 x 3,5 x 10		Wet
AS087N1/4	87	1"1/4	8	24 x 3,5 x 10		Wet
AS087R	87	1"1/4 ou 1/2"	8	24 x 3,5 x 10		Wet
AS092N1/2	92	1/2"	8	24 x 3,5 x 10		Wet
AS092N1/4	92	1"1/4	8	24 x 3,5 x 10		Wet
AS092R	92	1"1/4 ou 1/2"	8	24 x 3,5 x 10		Wet
AS097N1/2	97	1/2"	8	24 x 3,5 x 10		Wet
AS097N1/4	97	1"1/4	8	24 x 3,5 x 10		Wet

CORE BITS ASPHALT, COATING

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
AS097R	97	1"1/4 ou 1/2"	8	24 x 3,5 x 10		Wet
AS102N1/2	102	1/2"	9	24 x 4 x 10		Wet
AS102N1/4	102	1"1/4	9	24 x 4 x 10		Wet
AS102R	102	1"1/4 ou 1/2"	9	24 x 4 x 10		Wet
AS107N1/2	107	1/2"	9	24 x 4 x 10		Wet
AS107N1/4	107	1"1/4	9	24 x 4 x 10		Wet
AS107R	107	1"1/4 ou 1/2"	9	24 x 4 x 10		Wet
AS112N1/2	112	1/2"	9	24 x 4 x 10		Wet
AS112N1/4	112	1"1/4	9	24 x 4 x 10		Wet
AS112R	112	1"1/4 ou 1/2"	9	24 x 4 x 10		Wet
AS117N1/2	117	1/2"	9	24 x 4 x 10		Wet
AS117N1/4	117	1"1/4	9	24 x 4 x 10		Wet
AS117R	117	1"1/4 ou 1/2"	9	24 x 4 x 10		Wet
AS122N1/2	122	1/2"	9	24 x 4 x 10		Wet
AS122N1/4	122	1"1/4	9	24 x 4 x 10		Wet
AS122R	122	1"1/4 ou 1/2"	9	24 x 4 x 10		Wet
AS127N1/2	127	1/2"	9	24 x 4 x 10		Wet
AS127N1/4	127	1"1/4	9	24 x 4 x 10		Wet
AS127R	127	1"1/4 ou 1/2"	9	24 x 4 x 10		Wet
AS132N1/2	132	1/2"	9	24 x 4 x 10		Wet
AS132N1/4	132	1"1/4	9	24 x 4 x 10		Wet
AS132R	132	1"1/4 ou 1/2"	9	24 x 4 x 10		Wet
AS137N1/2	137	1/2"	9	24 x 4 x 10		Wet
AS137N1/4	137	1"1/4	9	24 x 4 x 10		Wet
AS137R	137	1"1/4 ou 1/2"	9	24 x 4 x 10		Wet
AS142N1/2	142	1/2"	10	24 x 4 x 10		Wet

CORE BITS ASPHALT, COATING

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
AS142N1/4	142	1"1/4	10	24 x 4 x 10		Wet
AS142R	142	1"1/4 ou 1/2"	10	24 x 4 x 10		Wet
AS147N1/2	147	1/2"	10	24 x 4 x 10		Wet
AS147N1/4	147	1"1/4	10	24 x 4 x 10		Wet
AS147R	147	1"1/4 ou 1/2"	10	24 x 4 x 10		Wet
AS152N1/2	152	1/2"	11	24 x 4 x 10		Wet
AS152N1/4	152	1"1/4	11	24 x 4 x 10		Wet
AS152R	152	1"1/4 ou 1/2"	11	24 x 4 x 10		Wet
AS157N1/4	157	1"1/4	11	24 x 4 x 10		Wet
AS157R	157	1"1/4	11	24 x 4 x 10		Wet
AS162N1/4	162	1"1/4	12	24 x 4 x 10		Wet
AS162R	162	1"1/4	12	24 x 4 x 10		Wet
AS167N1/4	167	1"1/4	12	24 x 4 x 10		Wet
AS167R	167	1"1/4	12	24 x 4 x 10		Wet
AS172N1/4	172	1"1/4	13	24 x 4 x 10		Wet
AS172R	172	1"1/4	13	24 x 4 x 10		Wet
AS182N1/4	182	1"1/4	14	24 x 4 x 10		Wet
AS182R	182	1"1/4	14	24 x 4 x 10		Wet
AS187N1/4	187	1"1/4	14	24 x 4 x 10		Wet
AS187R	187	1"1/4	14	24 x 4 x 10		Wet
AS192N1/4	192	1"1/4	14	24 x 4 x 10		Wet
AS192R	192	1"1/4	14	24 x 4 x 10		Wet
AS200N1/4	200	1"1/4	15	24 x 4 x 10		Wet
AS200R	200	1"1/4	15	24 x 4 x 10		Wet
AS212N1/4	212	1"1/4	16	24 x 4 x 10		Wet
AS212R	212	1"1/4	16	24 x 4 x 10		Wet

CORE BITS ASPHALT, COATING

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
AS225N1/4	225	1"1/4	16	24 x 4 x 10		Wet
AS225R	225	1"1/4	16	24 x 4 x 10		Wet
AS252N1/4	252	1"1/4	17	24 x 4 x 10		Wet
AS252R	252	1"1/4	17	24 x 4 x 10		Wet

1"1/4 female fitting - 1/2" male fitting

Other diameters and lengths available on request