

CORE BITS GRANITE, NATURAL STONE

GR

The core bit for granite



DESCRIPTION AND BENEFITS

- Useful tube length: 450 mm
- High drilling capacity
- Possibility of resegmentation (ref. ending with R)

MATERIALS




Granite












Smooth pointed diamond segments,
height 10 mm






Laser welded segments

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
GR042N1/2	42	1/2"	3	16 x 3,5 x 10		Wet
GR042N1/4	42	1"1/4	3	16 x 3,5 x 10		Wet
GR042R	42	1"1/4 ou 1/2"	3	16 x 3,5 x 10		Wet
GR046N1/2	46	1/2"	3	16 x 3,5 x 10		Wet
GR046N1/4	46	1"1/4	3	16 x 3,5 x 10		Wet
GR046R	46	1"1/4 ou 1/2"	3	16 x 3,5 x 10		Wet
GR052N1/2	52	1/2"	3	24 x 3,5 x 10		Wet
GR052N1/4	52	1"1/4	3	24 x 3,5 x 10		Wet
GR052R	52	1"1/4 ou 1/2"	3	24 x 3,5 x 10		Wet

CORE BITS GRANITE, NATURAL STONE

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
GR056N1/2	56	1/2"	3	24 x 3,5 x 10		Wet
GR056N1/4	56	1"1/4	3	24 x 3,5 x 10		Wet
GR056R	56	1"1/4 ou 1/2"	3	24 x 3,5 x 10		Wet
GR062N1/2	62	1/2"	3	24 x 3,5 x 10		Wet
GR062N1/4	62	1"1/4	3	24 x 3,5 x 10		Wet
GR062R	62	1"1/4 ou 1/2"	3	24 x 3,5 x 10		Wet
GR066N1/2	66	1/2"	3	24 x 3,5 x 10		Wet
GR066N1/4	66	1"1/4	3	24 x 3,5 x 10		Wet
GR066R	66	1"1/4 ou 1/2"	3	24 x 3,5 x 10		Wet
GR072N1/2	72	1/2"	3	24 x 3,5 x 10		Wet
GR072N1/4	72	1"1/4	3	24 x 3,5 x 10		Wet
GR072R	72	1"1/4 ou 1/2"	3	24 x 3,5 x 10		Wet
GR076N1/2	76	1/2"	3	24 x 3,5 x 10		Wet
GR076N1/4	76	1"1/4	3	24 x 3,5 x 10		Wet
GR076R	76	1"1/4 ou 1/2"	3	24 x 3,5 x 10		Wet
GR082N1/2	82	1/2"	4	24 x 3,5 x 10		Wet
GR082N1/4	82	1"1/4	4	24 x 3,5 x 10		Wet
GR082R	82	1"1/4 ou 1/2"	4	24 x 3,5 x 10		Wet
GR087N1/2	87	1/2"	4	24 x 3,5 x 10		Wet
GR087N1/4	87	1"1/4	4	24 x 3,5 x 10		Wet
GR087R	87	1"1/4 ou 1/2"	4	24 x 3,5 x 10		Wet
GR092N1/2	92	1/2"	4	24 x 3,5 x 10		Wet
GR092N1/4	92	1"1/4	4	24 x 3,5 x 10		Wet
GR092R	92	1"1/4 ou 1/2"	4	24 x 3,5 x 10		Wet
GR097N1/2	97	1/2"	4	24 x 3,5 x 10		Wet
GR097N1/4	97	1"1/4	4	24 x 3,5 x 10		Wet

CORE BITS GRANITE, NATURAL STONE

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
GR097R	97	1"1/4 ou 1/2"	4	24 x 3,5 x 10		Wet
GR102N1/2	102	1/2"	5	24 x 4 x 10		Wet
GR102N1/4	102	1"1/4	5	24 x 4 x 10		Wet
GR102R	102	1"1/4 ou 1/2"	5	24 x 4 x 10		Wet
GR107N1/2	107	1/2"	5	24 x 4 x 10		Wet
GR107N1/4	107	1"1/4	5	24 x 4 x 10		Wet
GR107R	107	1"1/4 ou 1/2"	5	24 x 4 x 10		Wet
GR112N1/2	112	1/2"	5	24 x 4 x 10		Wet
GR112N1/4	112	1"1/4	5	24 x 4 x 10		Wet
GR112R	112	1"1/4 ou 1/2"	5	24 x 4 x 10		Wet
GR117N1/2	117	1/2"	5	24 x 4 x 10		Wet
GR117N1/4	117	1"1/4	5	24 x 4 x 10		Wet
GR117R	117	1"1/4 ou 1/2"	5	24 x 4 x 10		Wet
GR122N1/2	122	1/2"	5	24 x 4 x 10		Wet
GR122N1/4	122	1"1/4	5	24 x 4 x 10		Wet
GR122R	122	1"1/4 ou 1/2"	5	24 x 4 x 10		Wet
GR127N1/2	127	1/2"	5	24 x 4 x 10		Wet
GR127N1/4	127	1"1/4	5	24 x 4 x 10		Wet
GR127R	127	1"1/4 ou 1/2"	5	24 x 4 x 10		Wet
GR132N1/2	132	1/2"	5	24 x 4 x 10		Wet
GR132N1/4	132	1"1/4	5	24 x 4 x 10		Wet
GR132R	132	1"1/4 ou 1/2"	5	24 x 4 x 10		Wet
GR137N1/2	137	1/2"	5	24 x 4 x 10		Wet
GR137N1/4	137	1"1/4	5	24 x 4 x 10		Wet
GR137R	137	1"1/4 ou 1/2"	5	24 x 4 x 10		Wet
GR142N1/2	142	1/2"	6	24 x 4 x 10		Wet

CORE BITS GRANITE, NATURAL STONE

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
GR142N1/4	142	1"1/4	6	24 x 4 x 10		Wet
GR142R	142	1"1/4 ou 1/2"	6	24 x 4 x 10		Wet
GR147N1/2	147	1/2"	6	24 x 4 x 10		Wet
GR147N1/4	147	1"1/4	6	24 x 4 x 10		Wet
GR147R	147	1"1/4 ou 1/2"	6	24 x 4 x 10		Wet
GR152N1/2	152	1/2"	6	24 x 4 x 10		Wet
GR152N1/4	152	1"1/4	6	24 x 4 x 10		Wet
GR152R	152	1"1/4 ou 1/2"	6	24 x 4 x 10		Wet
GR157N1/4	157	1"1/4	6	24 x 4 x 10		Wet
GR157R	157	1"1/4	6	24 x 4 x 10		Wet
GR162N1/4	162	1"1/4	7	24 x 4 x 10		Wet
GR162R	162	1"1/4	7	24 x 4 x 10		Wet
GR167N1/4	167	1"1/4	7	24 x 4 x 10		Wet
GR167R	167	1"1/4	7	24 x 4 x 10		Wet
GR172N1/4	172	1"1/4	8	24 x 4 x 10		Wet
GR172R	172	1"1/4	8	24 x 4 x 10		Wet
GR182N1/4	182	1"1/4	8	24 x 4 x 10		Wet
GR182R	182	1"1/4	8	24 x 4 x 10		Wet
GR187N1/4	187	1"1/4	8	24 x 4 x 10		Wet
GR187R	187	1"1/4	8	24 x 4 x 10		Wet
GR192N1/4	192	1"1/4	8	24 x 4 x 10		Wet
GR192R	192	1"1/4	8	24 x 4 x 10		Wet
GR200N1/4	200	1"1/4	8	24 x 4 x 10		Wet
GR200R	200	1"1/4	8	24 x 4 x 10		Wet
GR212N1/4	212	1"1/4	9	24 x 4,5 x 10		Wet
GR212R	212	1"1/4	9	24 x 4,5 x 10		Wet

CORE BITS GRANITE, NATURAL STONE

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
GR225N1/4	225	1"1/4	9	24 x 4,5 x 10		Wet
GR225R	225	1"1/4	9	24 x 4,5 x 10		Wet
GR252N1/4	252	1"1/4	10	24 x 4,5 x 10		Wet
GR252R	252	1"1/4	10	24 x 4,5 x 10		Wet

1"1/4 female fitting - 1/2" male fitting

Other diameters and lengths available on request