

CORE BITS CONCRETE, UNIVERSAL MATERIAL

S3

A quality entry-level



DESCRIPTION AND BENEFITS

- Usable tube length: 450 mm
- Large drilling capacity
- Resegmentation possible (ref. ending in R)

MATERIALS

Concrete, Reinforced concrete, Brick, Washed gravel slab












Smooth pointed diamond segments, height 9 mm






Laser-welded segments

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
S3042N1/2	42	1/2"	4	16 x 3,5 x 9		Wet
S3042N1/4	42	1"1/4	4	16 x 3,5 x 9		Wet
S3042R	42	1"1/4 ou 1/2"	4	16 x 3,5 x 9		Wet
S3046N1/2	46	1/2"	5	16 x 3,5 x 9		Wet
S3046N1/4	46	1"1/4	5	16 x 3,5 x 9		Wet
S3046R	46	1"1/4 ou 1/2"	5	16 x 3,5 x 9		Wet
S3052N1/2	52	1/2"	5	24 x 3,5 x 9		Wet
S3052N1/4	52	1"1/4	5	24 x 3,5 x 9		Wet
S3052R	52	1"1/4 ou 1/2"	5	24 x 3,5 x 9		Wet


CORE BITS CONCRETE, UNIVERSAL MATERIAL

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
S3056N1/2	56	1/2"	5	24 x 3,5 x 9		Wet
S3056N1/4	56	1"1/4	5	24 x 3,5 x 9		Wet
S3056R	56	1"1/4 ou 1/2"	5	24 x 3,5 x 9		Wet
S3062N1/2	62	1/2"	6	24 x 3,5 x 9		Wet
S3062N1/4	62	1"1/4	6	24 x 3,5 x 9		Wet
S3062R	62	1"1/4 ou 1/2"	6	24 x 3,5 x 9		Wet
S3066N1/2	66	1/2"	6	24 x 3,5 x 9		Wet
S3066N1/4	66	1"1/4	6	24 x 3,5 x 9		Wet
S3066R	66	1"1/4 ou 1/2"	6	24 x 3,5 x 9		Wet
S3072N1/2	72	1/2"	6	24 x 3,5 x 9		Wet
S3072N1/4	72	1"1/4	6	24 x 3,5 x 9		Wet
S3072R	72	1"1/4 ou 1/2"	6	24 x 3,5 x 9		Wet
S3076N1/2	76	1/2"	6	24 x 3,5 x 9		Wet
S3076N1/4	76	1"1/4	6	24 x 3,5 x 9		Wet
S3076R	76	1"1/4 ou 1/2"	6	24 x 3,5 x 9		Wet
S3082N1/2	82	1/2"	7	24 x 3,5 x 9		Wet
S3082N1/4	82	1"1/4	7	24 x 3,5 x 9		Wet
S3082R	82	1"1/4 ou 1/2"	7	24 x 3,5 x 9		Wet
S3087N1/2	87	1/2"	8	24 x 3,5 x 9		Wet
S3087N1/4	87	1"1/4	8	24 x 3,5 x 9		Wet
S3087R	87	1"1/4 ou 1/2"	8	24 x 3,5 x 9		Wet
S3092N1/2	92	1/2"	8	24 x 3,5 x 9		Wet
S3092N1/4	92	1"1/4	8	24 x 3,5 x 9		Wet
S3092R	92	1"1/4 ou 1/2"	8	24 x 3,5 x 9		Wet
S3097N1/2	97	1/2"	8	24 x 3,5 x 9		Wet
S3097N1/4	97	1"1/4	8	24 x 3,5 x 9		Wet

CORE BITS CONCRETE, UNIVERSAL MATERIAL

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
S3097R	97	1"1/4 ou 1/2"	8	24 x 3,5 x 9		Wet
S3102N1/2	102	1/2"	8	24 x 4 x 9		Wet
S3102N1/4	102	1"1/4	8	24 x 4 x 9		Wet
S3102R	102	1"1/4 ou 1/2"	8	24 x 4 x 9		Wet
S3107N1/2	107	1/2"	9	24 x 4 x 9		Wet
S3107N1/4	107	1"1/4	9	24 x 4 x 9		Wet
S3107R	107	1"1/4 ou 1/2"	9	24 x 4 x 9		Wet
S3112N1/2	112	1/2"	9	24 x 4 x 9		Wet
S3112N1/4	112	1"1/4	9	24 x 4 x 9		Wet
S3112R	112	1"1/4 ou 1/2"	9	24 x 4 x 9		Wet
S3117N1/2	117	1/2"	9	24 x 4 x 9		Wet
S3117N1/4	117	1"1/4	9	24 x 4 x 9		Wet
S3117R	117	1"1/4 ou 1/2"	9	24 x 4 x 9		Wet
S3122N1/2	122	1/2"	9	24 x 4 x 9		Wet
S3122N1/4	122	1"1/4	9	24 x 4 x 9		Wet
S3122R	122	1"1/4 ou 1/2"	9	24 x 4 x 9		Wet
S3127N1/2	127	1/2"	9	24 x 4 x 9		Wet
S3127N1/4	127	1"1/4	9	24 x 4 x 9		Wet
S3127R	127	1"1/4 ou 1/2"	9	24 x 4 x 9		Wet
S3132N1/2	132	1/2"	9	24 x 4 x 9		Wet
S3132N1/4	132	1"1/4	9	24 x 4 x 9		Wet
S3132R	132	1"1/4 ou 1/2"	9	24 x 4 x 9		Wet
S3137N1/2	137	1/2"	9	24 x 4 x 9		Wet
S3137N1/4	137	1"1/4	9	24 x 4 x 9		Wet
S3137R	137	1"1/4 ou 1/2"	9	24 x 4 x 9		Wet
S3142N1/2	142	1/2"	10	24 x 4 x 9		Wet

CORE BITS CONCRETE, UNIVERSAL MATERIAL

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
S3142N1/4	142	1"1/4	10	24 x 4 x 9		Wet
S3142R	142	1"1/4 ou 1/2"	10	24 x 4 x 9		Wet
S3147N1/2	147	1/2"	10	24 x 4 x 9		Wet
S3147N1/4	147	1"1/4	10	24 x 4 x 9		Wet
S3147R	147	1"1/4 ou 1/2"	10	24 x 4 x 9		Wet
S3152N1/2	152	1/2"	11	24 x 4 x 9		Wet
S3152N1/4	152	1"1/4	11	24 x 4 x 9		Wet
S3152R	152	1"1/4 ou 1/2"	11	24 x 4 x 9		Wet
S3157N1/4	157	1"1/4	11	24 x 4 x 9		Wet
S3157R	157	1"1/4	11	24 x 4 x 9		Wet
S3162N1/4	162	1"1/4	12	24 x 4 x 9		Wet
S3162R	162	1"1/4	12	24 x 4 x 9		Wet
S3167N1/4	167	1"1/4	12	24 x 4 x 9		Wet
S3167R	167	1"1/4	12	24 x 4 x 9		Wet
S3172N1/4	172	1"1/4	13	24 x 4 x 9		Wet
S3172R	172	1"1/4	13	24 x 4 x 9		Wet
S3182N1/4	182	1"1/4	14	24 x 4 x 9		Wet
S3182R	182	1"1/4	14	24 x 4 x 9		Wet
S3187N1/4	187	1"1/4	14	24 x 4 x 9		Wet
S3187R	187	1"1/4	14	24 x 4 x 9		Wet
S3192N1/4	192	1"1/4	14	24 x 4 x 9		Wet
S3192R	192	1"1/4	14	24 x 4 x 9		Wet
S3200N1/4	200	1"1/4	15	24 x 4 x 9		Wet
S3200R	200	1"1/4	15	24 x 4 x 9		Wet
S3212N1/4	212	1"1/4	16	24 x 4,5 x 9		Wet
S3212R	212	1"1/4	16	24 x 4,5 x 9		Wet

CORE BITS CONCRETE, UNIVERSAL MATERIAL

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
S3225N1/4	225	1"1/4	16	24 x 4,5 x 9		Wet
S3225R	225	1"1/4	16	24 x 4,5 x 9		Wet
S3252N1/4	252	1"1/4	17	24 x 4,5 x 9		Wet
S3252R	252	1"1/4	17	24 x 4,5 x 9		Wet
S3270N1/4	270	1"1/4	19	24 x 4,5 x 9		Wet
S3270R	270	1"1/4	19	24 x 4,5 x 9		Wet
S3302N1/4	302	1"1/4	20	24 x 4,5 x 9		Wet
S3302R	302	1"1/4	20	24 x 4,5 x 9		Wet
S3320N1/4	320	1"1/4	22	24 x 4,5 x 9		Wet
S3320R	320	1"1/4	22	24 x 4,5 x 9		Wet
S3350N1/4	350	1"1/4	22	24 x 4,5 x 9		Wet
S3350R	350	1"1/4	22	24 x 4,5 x 9		Wet

1"1/4 female fitting - 1/2" male fitting

Other diameters and lengths available on request