

CORE BITS CONCRETE, UNIVERSAL MATERIAL

S4T

The core bit assainissement intended for standard uses



DESCRIPTION AND BENEFITS

- Useful tube length: 300 mm
- Specially designed for thermal core drills
- Possibility of re-segmentation (ref. ending with R)

MATERIALS

Nozzle, Concrete pipe



Smooth pointed diamond segments,
height 11 mm



Laser welded segments

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
S4T112N3T	112	3-holes	9	24 x 4 x 11		Wet
S4T112R	112	3-holes	9	24 x 4 x 11		Wet
S4T137N3T	137	3-holes	9	24 x 4 x 11		Wet
S4T137R	137	3-holes	9	24 x 4 x 11		Wet
S4T151N3T	151	3-holes	11	24 x 4 x 11		Wet
S4T151R	151	3-holes	11	24 x 4 x 11		Wet
S4T162N3T	162	3-holes	12	24 x 4 x 11		Wet
S4T162R	162	3-holes	12	24 x 4 x 11		Wet
S4T167N3T	167	3-holes	13	24 x 4 x 11		Wet

CORE BITS CONCRETE, UNIVERSAL MATERIAL

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
S4T167R	167	3-holes	13	24 x 4 x 11		Wet
S4T172N3T	172	3-holes	13	24 x 4 x 11		Wet
S4T172R	172	3-holes	13	24 x 4 x 11		Wet
S4T182N3T	182	3-holes	14	24 x 4 x 11		Wet
S4T182R	182	3-holes	14	24 x 4 x 11		Wet
S4T186N3T	186	3-holes	14	24 x 4 x 11		Wet
S4T186R	186	3-holes	14	24 x 4 x 11		Wet
S4T195N3T	195	3-holes	14	24 x 4 x 11		Wet
S4T195R	195	3-holes	14	24 x 4 x 11		Wet
S4T202N3T	202	3-holes	15	24 x 4 x 11		Wet
S4T202R	202	3-holes	15	24 x 4 x 11		Wet
S4T211N3T	211	3-holes	16	24 x 4 x 11		Wet
S4T211R	211	3-holes	16	24 x 4 x 11		Wet
S4T226N3T	226	3-holes	17	24 x 4,5 x 11		Wet
S4T226R	226	3-holes	17	24 x 4,5 x 11		Wet
S4T232N3T	232	3-holes	17	24 x 4,5 x 11		Wet
S4T232R	232	3-holes	17	24 x 4,5 x 11		Wet
S4T246N3T	246	3-holes	17	24 x 4,5 x 11		Wet
S4T246R	246	3-holes	17	24 x 4,5 x 11		Wet
S4T257N3T	257	3-holes	18	24 x 4,5 x 11		Wet
S4T257R	257	3-holes	18	24 x 4,5 x 11		Wet
S4T266N3T	266	3-holes	19	24 x 4,5 x 11		Wet
S4T266R	266	3-holes	19	24 x 4,5 x 11		Wet
S4T273N3T	273	3-holes	19	24 x 4,5 x 11		Wet
S4T273R	273	3-holes	19	24 x 4,5 x 11		Wet
S4T277N3T	277	3-holes	20	24 x 4,5 x 11		Wet

CORE BITS CONCRETE, UNIVERSAL MATERIAL

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
S4T277R	277	3-holes	20	24 x 4,5 x 11		Wet
S4T297N3T	297	3-holes	20	24 x 4,5 x 11		Wet
S4T297R	297	3-holes	20	24 x 4,5 x 11		Wet
S4T355N3T	355	3-holes	22	24 x 4,5 x 11		Wet
S4T355R	355	3-holes	22	24 x 4,5 x 11		Wet

Other diameters and lengths available on request