

CORE BITS CONCRETE, UNIVERSAL MATERIAL

S5T

The high-capacity core bit sanitation



DESCRIPTION AND BENEFITS

- Useful tube length: 300 mm
- Specially designed for thermal core drills
- Resegmentation possible (ref. ending with R)

MATERIALS

Nozzle, Concrete pipe



Serrated and beveled diamond segments, height 11 mm



Laser welded segments

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
S5T112N3T	112	3-holes	9	24 x 3,5 x 11		Wet
S5T112R	112	3-holes	9	24 x 4 x 11		Wet
S5T137N3T	137	3-holes	9	24 x 3,5 x 11		Wet
S5T137R	137	3-holes	9	24 x 4 x 11		Wet
S5T151N3T	151	3-holes	11	24 x 4 x 11		Wet
S5T151R	151	3-holes	11	24 x 4 x 11		Wet
S5T162N3T	162	3-holes	12	24 x 4 x 11		Wet
S5T162R	162	3-holes	12	24 x 4 x 11		Wet
S5T167N3T	167	3-holes	12	24 x 4 x 11		Wet

CORE BITS CONCRETE, UNIVERSAL MATERIAL

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
S5T167R	167	3-holes	12	24 x 4 x 11		Wet
S5T172N3T	172	3-holes	13	24 x 4 x 11		Wet
S5T172R	172	3-holes	13	24 x 4 x 11		Wet
S5T182N3T	182	3-holes	14	24 x 4 x 11		Wet
S5T182R	182	3-holes	14	24 x 4 x 11		Wet
S5T186N3T	186	3-holes	14	24 x 4 x 11		Wet
S5T186R	186	3-holes	14	24 x 4 x 11		Wet
S5T195N3T	195	3-holes	14	24 x 4 x 11		Wet
S5T195R	195	3-holes	14	24 x 4 x 11		Wet
S5T202N3T	202	3-holes	15	24 x 4 x 11		Wet
S5T202R	202	3-holes	15	24 x 4 x 11		Wet
S5T211N3T	211	3-holes	16	24 x 4 x 11		Wet
S5T211R	211	3-holes	16	24 x 4 x 11		Wet
S5T226N3T	226	3-holes	17	24 x 4 x 11		Wet
S5T226R	226	3-holes	17	24 x 4,5 x 11		Wet
S5T232N3T	232	3-holes	17	24 x 4 x 11		Wet
S5T232R	232	3-holes	17	24 x 4,5 x 11		Wet
S5T246N3T	246	3-holes	17	24 x 4 x 11		Wet
S5T246R	246	3-holes	17	24 x 4,5 x 11		Wet
S5T257N3T	257	3-holes	18	24 x 4 x 11		Wet
S5T257R	257	3-holes	18	24 x 4,5 x 11		Wet
S5T266N3T	266	3-holes	19	24 x 4,5 x 11		Wet
S5T266R	266	3-holes	19	24 x 4,5 x 11		Wet
S5T273N3T	273	3-holes	19	24 x 4,5 x 11		Wet
S5T273R	273	3-holes	19	24 x 4,5 x 11		Wet
S5T277N3T	277	3-holes	20	24 x 5 x 11		Wet

CORE BITS CONCRETE, UNIVERSAL MATERIAL

Reference	Ø	Connection	Segment		Machine	Dry or wet work
			Number	l x w x h		
S5T277R	277	3-holes	20	24 x 4,5 x 11		Wet
S5T297N3T	297	3-holes	20	24 x 5 x 11		Wet
S5T297R	297	3-holes	20	24 x 4,5 x 11		Wet
S5T355N3T	355	3-holes	22	24 x 5 x 11		Wet
S5T355R	355	3-holes	22	24 x 4,5 x 11		Wet

Other diameters and lengths available on request